# Formulate 20' Serpentine - Kit 2

### FMLT-WSC20-02

Formulate™ is a collection of sophisticated, ergonomically designed exhibit booths. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the Formulate line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

### features and benefits:

- State-of-the-art 50mm aluminum tubing with heavy duty internal spigot connectors
- Features a 34" wide counter available in four laminate color options
- Hardware mounts for a medium sized monitor, max 36"/ 40 lbs
- Kit includes: one frame, one dye-sublimated zipper pillowcase graphic, and two wheeled molded OCL and one OCH2 storage cases
- Lifetime hardware warranty against manufacturer defects

### dimensions:

Hardware	Graphic
Assembled unit: 226"w x 93.2"h x 34.8"h 5740mm(w) x 2367mm(h) x 884mm(h)	Total visual area: 236.5" w x 92"h s-curve 6007mm(w) x 2337mm(h)
Stand-off Monitor mount with counter: 37.4" w x 92.4" h x 29.4" d Counter dimensions: 34.685" l x 16.6" w	Stand-off ladder total visual area: Top: 37.4"w x 24.5"h Bottom: 37.4"w x 38.2"h
Approximate weight (includes graphic): 90 lbs / 40.8 kg	Please be sure to include a 2" bleed around the perimeter.
Shipping	Refer to related graphic template for
Shipping dimensions - ships in 3 cases: 2 OCL cases (each): 19"l x 19"w x 56"h 1 OCH2 case: 52"l x 30"w x 15"h Approximate shipping weight (with case): 160 lbs / 72.6 kg	more information.  Visit: www.exhibitors-handbook.com/ graphic-templates

## additional information:

Graphic material: dye-sublimated fabric Counter holds max 25 lbs / 11.3 kg

Monitor mount: max T.V. size is 36"/ 40 lbs \*Kit does not include monitor

Table colors:















www.display-setup-animations.com

Parts Included		
Part Label	Qty	Part Code
EXPANDING SPIGOT FOR 50MM TUBE	x14	ES-50
20' FABRIC GRAPHIC	x1	WSC20-01-G
INLINE CONNECTOR FOR 30MM TUBING	хЗ	TC-30-S
50MM CORNER TUBE	х4	WSC20-T1
300MM X 50MM TUBE	x2	WSC20-T2
R2736MM X 50MM TUBE	x4	WSC20-T3
R2736MM X 50MM CURVED TUBE WITH HOLE RIGHT SIDE	x2	WSC20-T3-HR
R2736MM X 50MM CURVED TUBE WITH HOLE LEFT SIDE	x2	WSC20-T3-HL
1093MM X 30MM TUBE	х6	WSC20-T4







At connection 8, 9 and 10, connect tubes by pressing snap on button, lining up holes and securing button in hole.

Parts Included		
Part Label	Qty	Part Code
30MM TUBE CLAMP	x2	ACC60
EXPANDING SPIGOT FOR 30MM TUBE	x11	ES-30
FABRIC GRAPHIC BOTTOM	x1	WL04-G-B
FABRIC GRAPHIC TOP	x1	WL04-G-T
MEDIUM MONITOR BRACKET	x1	MM-MB
881MM X 422MM X 30MM COUNTER	x1	WL04-C
30MM CURVED TUBE TOP RIGHT SIDE	x1	RWL04-T1
30MM CURVED TUBE RIGHT SIDE	x1	WRL04-T2
30MM CURVED TUBE LEFT SIDE	x1	WL04-T1
30MM CURVED TUBE LEFT SIDE	x1	WL04-T2
30MM SPREADER TUBE WITH COUNTER SUPPORTS	x1	WL04-T3
30MM BASE TUBE SECTION	x1	WL04-T4
30MM TOP END SECTION	x1	WL04-T6








WL04 Frame Assembly: Assemble unit by laying tubes flat on the floor. Connect the tube rails following the labels by matching number to number. See detailed drawing.




### STEP 1: ASSEMBLE FRAME



























Slide joiner into tubing so hex screw sits in the hole on tubinger. Tighen hex screw so the joiner separates & tightens against the inside of the tubing, locking the joiner and tubing together.











Attach ACC60 clamps to monitor mount with a bolt and washer, tighten with wingnut.




## STEP 6: ATTACH COUNTER TO ACCENT FRAME



## STEP 7: ATTACH TO BACKWALL WITH CLAMPS



Position accent in front of backwall in desired location. Secure tube clamp at top of frame.



Using provided 3/16" hex key, rotate bolt clockwise to secure accent to top of fabric backwall.

## **Check out these related products:**

The Formulate line is a collection of stylish, ergonomically designed tabletop, 8ft, 10ft, 20ft exhibits, hanging structures, and display accessories. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with a premium lightweight aluminum structure.

Formulate is efficient, easy to assemble and disassemble, and offers remarkable style options and choices.



Formulate Tabletops



Formulate 8ft Kits



Formulate 10ft Kits (Horizontal Curve)



Formulate 10ft Kits (Vertical Curve)



Formulate 10ft Kits (Straight)





Formulate Hanging Structures